

Message

From: [Nonresponsive based on revised scope]@tetrattech.com]
Sent: 2/5/2021 3:00:00 PM
To: Wagner, Christine [Wagner.Christine@epa.gov]
Subject: RE: 49243 Shiloh Church

You're very welcome Chris. Please let me know if there is anything else I can do.

I hope you have a great weekend as well.

[Nonresponsive based on revised scope] Sample Coordinator/Environmental Scientist III
[Nonresponsive based on revised scope]@tetrattech.com
Tetra Tech | Complex World, Clear Solutions™ | EMI Northeast Operations
240 Continental Dr, Suite 200 Newark, DE 19713 | tetrattech.com

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

Please consider the environment before printing. Read more

-----Original Message-----

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Friday, February 5, 2021 9:27 AM
To: [Nonresponsive based on revised scope]@tetrattech.com>
Cc: [Nonresponsive based on revised scope]@tetrattech.com>
Subject: Re: 49243 Shiloh Church

[Nonresponsive based on revised scope]
Thanks you so much for following up on this documentation yesterday [Nonresponsive based on revised scope] and I are both inside the hot zone most of the day without uninterrupted periods of time to focus on this type of work

I appreciate your professionalism and promptness to help us out

Have a good weekend
Chris

> On Feb 4, 2021, at 4:22 PM, [Nonresponsive based on revised scope]@tetrattech.com> wrote:

>
> Thank you for letting me know Eric. If you need anything else, please don't hesitate to reach out.

>
> [Nonresponsive based on revised scope] Sample Coordinator/Environmental Scientist III Direct
> [Nonresponsive based on revised scope]@tetrattech.com Tetra Tech | Complex
> World, Clear Solutions™ | EMI Northeast Operations
> 240 Continental Dr, Suite 200 Newark, DE 19713 | tetrattech.com

>
> This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

>
> Please consider the environment before printing. Read
> more

> -----Original Message-----

> **From:** Graybill, Eric <graybill.eric@epa.gov>
> **Sent:** Thursday, February 4, 2021 4:20 PM
> **To:** [Nonresponsive based on revised scope]@tetrattech.com>; Burman, Jarmael
> <Burman.Jarmael@epa.gov>
> **Cc:** [Nonresponsive based on revised scope]@tetrattech.com>; Wagner, Christine
> <Wagner.Christine@epa.gov>
> **Subject:** RE: 49243 Shiloh Church

> Hi [redacted]

>

> I contacted J. after I contacted Chris.

> J. was able to provide me the information.

>

> Thanks

>

> Eric

>

> -----Original Message-----

> From: [redacted]@tetrattech.com>

> Sent: Thursday, February 04, 2021 4:18 PM

> To: Burman, Jarmael <Burman.Jarmael@epa.gov>; Graybill, Eric <graybill.eric@epa.gov>

> Cc: [redacted]@tetrattech.com>; Wagner, Christine <Wagner.Christine@epa.gov>

> Subject: 49243 Shiloh Church

>

> Hello Jay and Eric

>

> I received an email regarding the COC documentation of case 49243, SDG MCOBZ7. If you refer to the thread below, you may recall that the coolers were shipped to the wrong labs (Chemtech and Shealy). You had requested that we revise the COCs with the correct lab names, which was done, and send the FedEx labels for the labs to trans-ship the coolers.

>

> Eric has requested documentation (found in the below thread) as to what occurred. It does not appear that the labs included the original, incorrect COCs which have the relinquished signature of the sampler or the date. The trans-shipment documentation does not appear to be noted in the narrative of either data package.

>

> Please let me know if this helps piece together what happened and if you need anything more.

>

> Thank you

> [redacted] Sample Coordinator/Environmental Scientist III Direct

> [redacted]@tetrattech.com Tetra Tech | Complex

> World, Clear Solutions | EMI Northeast Operations

> 240 Continental Dr, Suite 200 Newark, DE 19713 | tetrattech.com

>

> This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

>

> Please consider the environment before printing. Read

> more

>

>

>

>

>

> -----Original Message-----

> From: [redacted]

> Sent: Tuesday, December 15, 2020 12:17 PM

> To: 'Burman, Jarmael' <Burman.Jarmael@epa.gov>; Carstensen, [redacted]

> [redacted]@gdit.com>

> CC: [redacted]@tetrattech.com>; [redacted]

> [redacted]@tetrattech.com>; [redacted]@tetrattech.com>

> Subject: RE: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD REMOVAL

>

> Hello Jay,

>

> I have attached the revised shipping labels as requested.

>

> Thank you,

>

> [redacted]

>

>

> -----Original Message-----

> From: Burman, Jarmael <Burman.Jarmael@epa.gov>

> Sent: Tuesday, December 15, 2020 9:12 AM

> To: [redacted]@tetrattech.com>; [redacted]

> [redacted]@gdit.com>

> Cc: [Nonresponsive based on revised scope]@tetrattech.com>; [Nonresponsive based on revised scope]
> [Nonresponsive based on revised scope]@tetrattech.com>; [Nonresponsive based on revised scope]@tetrattech.com>
> Subject: FW: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD REMOVAL

> Please provide shipping labels, the attached shipping labels are Saturday specific.

> Thank you,

> Jarmael A. Burman
> US EPA Region 3 - CLP PO/RSCC/DDS/QA Chemist
> 701 Mapes Road
> Fort Meade, Maryland 20755-5350
> (410) 305-2743 (office)
> (410) 305-3095 (fax)

> -----Original Message-----

> From: [Nonresponsive based on revised scope]@tetrattech.com>
> Sent: Friday, December 11, 2020 2:43 PM
> To: Burman, Jarmael <Burman.Jarmael@epa.gov>; [Nonresponsive based on revised scope]
> [Nonresponsive based on revised scope]@gdit.com>
> Cc: [Nonresponsive based on revised scope]@tetrattech.com>; [Nonresponsive based on revised scope]
> [Nonresponsive based on revised scope]@tetrattech.com>; [Nonresponsive based on revised scope]@tetrattech.com>
> Subject: RE: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD REMOVAL

> Hello Jay,

> Here are the shipping labels for Pace and Chemtech. I will send the regional and lab COCs over shortly.

> Thank you,

> [Nonresponsive based on revised scope]

> -----Original Message-----

> From: [Nonresponsive based on revised scope]
> Sent: Friday, December 11, 2020 11:58 AM
> To: Burman, Jarmael <Burman.Jarmael@epa.gov>; [Nonresponsive based on revised scope]
> <Katherine.Carstensen@gdit.com>
> Cc: [Nonresponsive based on revised scope]@tetrattech.com>; Yang, Cha
> [Nonresponsive based on revised scope]@tetrattech.com>
> Subject: RE: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD REMOVAL

> Hello Jay,

> We understand. Do you need us to provide FedEx shipping labels for the labs to send the coolers overnight?

> Thank you,

> [Nonresponsive based on revised scope]

> -----Original Message-----

> From: Burman, Jarmael <Burman.Jarmael@epa.gov>
> Sent: Friday, December 11, 2020 11:49 AM
> To: [Nonresponsive based on revised scope]@tetrattech.com>; [Nonresponsive based on revised scope]
> [Nonresponsive based on revised scope]@gdit.com>
> Cc: [Nonresponsive based on revised scope]@tetrattech.com>; [Nonresponsive based on revised scope]
> [Nonresponsive based on revised scope]@tetrattech.com>
> Subject: RE: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD REMOVAL

> If I have each laboratory analyze the incorrectly received sample set the Agency could be charged with violating the contract, between the Federal Government and each Laboratory, The only solution is for you

to provide me with the appropriate COCs with the correct laboratory name and shipping slips, as soon as possible.

>
> After I receive the requested information, I will inform each laboratory and arrange for Saturday, December 12, 2020 sample delivery.

>
> Jarmael A. Burman
> US EPA Region 3 - CLP PO/RSCC/DDS/QA Chemist
> 701 Mapes Road
> Fort Meade, Maryland 20755-5350
> (410) 305-2743 (office)
> (410) 305-3095 (fax)

>
>
> -----Original Message-----

> From: [Nonresponsive based on revised scope]@tetrattech.com>
> Sent: Friday, December 11, 2020 9:13 AM
> To: Burman, Jarmael <Burman.Jarmael@epa.gov>
> CC: [Nonresponsive based on revised scope]@tetrattech.com>; Yang, Cha
> [Nonresponsive based on revised scope]@tetrattech.com>
> Subject: RE: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD REMOVAL

>
> Good Morning Jay,

>
> We collected and sent samples yesterday for case 49243, which we had requested to be a continuation of case 49136. However, we noticed that the labs had been switched after the samples were already sent (case 49136 PCBs went to Chemtech and lead went to Pace, but for case 49243 PCBs were assigned to Pace and lead to Chemtech.) Would it be possible to have the labs continue with the parameters originally assigned or should we request through you that the labs to switch the samples? Please advise.

>
> Thank you,

[Nonresponsive based on revised scope]

>
>
> -----Original Message-----

> From: [Nonresponsive based on revised scope]@tetrattech.com>
> Sent: Thursday, November 19, 2020 2:30 PM
> To: R3_Clients@epa.gov
> Cc: Graybill, Eric <graybill.eric@epa.gov>; Wagner, Christine
> <Wagner.Christine@epa.gov>; [Nonresponsive based on revised scope]
> [Nonresponsive based on revised scope]@tetrattech.com>; [Nonresponsive based on revised scope]
> [Nonresponsive based on revised scope]@tetrattech.com>; [Nonresponsive based on revised scope]
> [Nonresponsive based on revised scope]@tetrattech.com>
> Subject: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD REMOVAL

>
> Hello All,

>
> I have attached an analytical request form for the soil sampling scheduled to be collected at Shiloh Church Road between November 20 through December 21, 2020. The laboratory reporting limits can be used. This is a continuation of case 49136, being submitted due to the new fiscal year. Please let me know if you have any questions.

>
> Thank you,

[Nonresponsive based on revised scope]

